

ACSC/STAT 3720, Life Contingencies I
 Winter 2017
 Toby Kenney
 Homework Sheet 2
 Due: Monday 6th February: 12:30 PM

Basic Questions

1. Using the select lifetable in Table 1, calculate:
 - (a) the probability that an individual aged 39 who was select 1 year ago dies within the next 5 years.
 - (b) the probability that an individual aged 44 who was select 6 years ago dies within the next 8 years.
 - (c) the probability that an individual aged 33 who is select survives to age 80.
 - (d) ${}_4|{}_{7q}_{[35]+1}$
2. An individual's mortality follows the select lifetable in Table 1. You are given that for this lifetable, the expected curtate future lifetime for an individual at age 65 in the ultimate part of the model is 29.04. Calculate the expected curtate future lifetime for
 - (a) a select individual aged 58
 - (b) an individual aged 60 who was select 2 years ago.

3. Using the ultimate mortality model

$$\mu_x = 0.000075 + 0.0000146 \times 1.119^x$$

and select mortality

$$\mu_{[x]+s} = 0.9^{3-s} \mu_{x+s}$$

for the selection period of 3 years, calculate a select life table between ages 41 and 45 using radix 10,000. [You may use the approximation $q_{[x]+t} = \mu_{[x+0.5]+t}$.]

4. The lifetable in Table 1 applied 5 years ago. The following is an excerpt from the ultimate part of an updated lifetable:

x	l_x	d_x
40	10000.00	4.16
41	9995.84	4.54
42	9991.30	4.96
43	9986.34	5.43
44	9980.92	5.94
45	9974.97	6.51

Calculate the reduction factor used for each age between 40 and 45.

Table 1: Select lifetable to be used for questions on this assignment

x	$l_{[x]}$	$l_{[x]+1}$	$l_{[x]+2}$	$l_{[x]+3}$	x	$l_{[x]}$	$l_{[x]+1}$	$l_{[x]+2}$	$l_{[x]+3}$
25	9998.75	9997.65	9996.30	9994.66	74	8987.73	8932.10	8862.49	8775.52
26	9997.00	9995.83	9994.40	9992.66	75	8897.04	8836.71	8761.27	8667.10
27	9995.14	9993.90	9992.38	9990.52	76	8798.69	8733.34	8651.66	8549.78
28	9993.16	9991.84	9990.22	9988.24	77	8692.13	8621.41	8533.09	8423.00
29	9991.05	9989.65	9987.92	9985.80	78	8576.81	8500.36	8404.95	8286.16
30	9988.81	9987.30	9985.46	9983.18	79	8452.13	8369.60	8266.68	8138.66
31	9986.40	9984.80	9982.82	9980.38	80	8317.52	8228.53	8117.67	7979.93
32	9983.83	9982.11	9979.99	9977.37	81	8172.36	8076.57	7957.35	7809.41
33	9981.07	9979.23	9976.95	9974.13	82	8016.08	7913.13	7785.15	7626.56
34	9978.11	9976.13	9973.68	9970.64	83	7848.11	7737.67	7600.54	7430.89
35	9974.93	9972.79	9970.16	9966.88	84	7667.89	7549.66	7403.05	7221.99
36	9971.50	9969.20	9966.36	9962.82	85	7474.92	7348.64	7192.27	6999.51
37	9967.80	9965.33	9962.25	9958.44	86	7268.77	7134.21	6967.86	6763.22
38	9963.81	9961.14	9957.82	9953.69	87	7049.07	6906.07	6729.62	6513.04
39	9959.50	9956.61	9953.02	9948.55	88	6815.55	6664.05	6477.46	6249.02
40	9954.84	9951.71	9947.82	9942.98	89	6568.09	6408.10	6211.48	5971.42
41	9949.79	9946.41	9942.19	9936.94	90	6306.70	6138.35	5931.96	5680.73
42	9944.32	9940.66	9936.08	9930.38	91	6031.59	5855.15	5639.41	5377.67
43	9938.39	9934.41	9929.45	9923.26	92	5743.19	5559.08	5334.61	5063.27
44	9931.96	9927.64	9922.25	9915.52	93	5442.15	5250.97	5018.61	4738.86
45	9924.97	9920.28	9914.42	9907.10	94	5129.44	4931.97	4692.79	4406.12
46	9917.37	9912.28	9905.91	9897.94	95	4806.33	4603.54	4358.89	4067.08
47	9909.11	9903.58	9896.65	9887.98	96	4474.39	4267.51	4018.96	3724.10
48	9900.13	9894.11	9886.57	9877.13	97	4135.60	3926.04	3675.44	3379.91
49	9890.36	9883.80	9875.59	9865.30	98	3792.25	3581.66	3331.11	3037.57
50	9879.71	9872.57	9863.63	9852.42	99	3447.02	3237.23	2989.05	2700.39
51	9868.12	9860.34	9850.59	9838.38	100	3102.90	2895.94	2652.63	2371.88
52	9855.48	9847.01	9836.39	9823.08	101	2763.19	2561.21	2325.37	2055.64
53	9841.72	9832.48	9820.90	9806.39	102	2431.39	2236.61	2010.90	1755.27
54	9826.71	9816.64	9804.02	9788.18	103	2111.15	1925.80	1712.81	1474.18
55	9810.34	9799.37	9785.60	9768.33	104	1806.12	1632.34	1434.48	1215.44
56	9792.49	9780.52	9765.51	9746.67	105	1519.82	1359.55	1178.94	981.65
57	9773.03	9759.97	9743.60	9723.05	106	1255.46	1110.36	948.70	774.71
58	9751.79	9737.56	9719.69	9697.28	107	1015.81	887.14	745.58	595.71
59	9728.63	9713.10	9693.62	9669.17	108	802.96	691.49	570.56	444.87
60	9703.36	9686.43	9665.17	9638.51	109	618.23	524.17	423.71	321.41
61	9675.80	9657.33	9634.15	9605.07	110	462.04	385.00	304.13	223.65
62	9645.73	9625.59	9600.31	9568.61	111	333.80	272.80	210.00	149.10
63	9612.94	9590.98	9563.42	9528.85	112	231.99	185.53	138.71	94.62
64	9577.18	9553.24	9523.19	9485.52	113	154.19	120.34	87.07	56.74
65	9538.19	9512.09	9479.35	9438.30	114	97.30	73.90	51.50	31.84
66	9495.69	9467.25	9431.58	9386.86	115	57.78	42.55	28.41	16.52
67	9449.37	9418.39	9379.54	9330.85	116	31.92	22.69	14.43	7.81
68	9398.90	9365.17	9322.87	9269.88	117	16.15	11.04	6.63	3.30
69	9343.95	9307.23	9261.20	9203.55	118	7.34	4.79	2.69	1.21
70	9284.12	9244.18	9194.11	9131.43	119	2.90	1.79	0.93	0.37
71	9219.03	9175.59	9121.17	9053.07	120	0.95	0.55	0.26	0.09
72	9148.24	9101.03	9041.91	8967.97	121	0.23	0.13	0.05	0.01
73	9071.30	9020.03	8955.85	8875.63	122	0.03	0.02	0.01	0.00

Standard Questions

5. An insurance company determines that individuals aged 30 who do not pass the underwriting process used for policies following Table 1 have probability 0.096 of dying within the next five years. What is the probability that a select individual aged 26 would pass the underwriting process in four years' time (at age 30). [Either an individual passes the underwriting process, in which case their mortality is that of a select life at their age, or they do not pass the underwriting process.]
6. An insurance company has used Makeham's formula with a constant factor to discount for selected lives — that is $\mu_{[x]+s} = D^{3-s} \mu_{x+s}$ to construct a lifetable for female smokers. The lifetable is given below.

x	$l_{[x]}$	$l_{[x]+1}$	$l_{[x]+2}$	$l_{[x]+3}$
40	9968.27	9946.76	9917.80	9878.81
41	9928.58	9904.00	9870.91	9826.37
42	9883.21	9855.14	9817.34	9766.48
43	9831.37	9799.32	9756.17	9698.12
44	9772.16	9735.58	9686.35	9620.16

Find the parameters used in the model to produce the table. [It was constructed using the approximation $q_{[x]+s} = \mu_{[x+0.5]+s}$.]